



Security Beyond Vision

**Modern
TECHNOLOGY**

AstraSight One and only stop for Best Quality and High Technology CCTV Camera Solutions



INTRODUCING

AHD

SERIES

2.4 MP AHD IR



Type: Plastic Dome
Resolution: 2.4MP
Lens: 3.6mm
IR 36 Led / Smart IR
with OSD 4 IN 1 IR Range 15-20mtr

AS-2.4-HK-DM

2.4 MP AHD IR BULLET



Type: Plastic Bulle
Resolution: 2.4MP
Lens: 3.6mm
IR 36 Led / Smart IR
with OSD 4 IN 1 IR Range 15-20mtr

AS-2.4MP-HK-BT

2.4 MP AHD CV DOME



**Type: Plastic Dome DH Housing
(Star Light)**

**Resolution: 2.4 MP 3Array
IR Rang 15-20mtr
Lens: 3.6mm (6mm opt.)**

AS-2.4MP-DH-CV-DM

2.4MP AHD CV BULLET



**Type: Plastic Bullet TPL Housing
(Star Light)**

Resolution: 2.4 MP 3Array
IR Rang 15-20mtr
Lens: 3.6mm (6mm opt.)

AS-2.4MP-DH-CV-BT

2.4MP AHD CV AUDIO DOME



**TVI starlight Audio
Type: Plastic Dome (StarLight)
Resolution: 2.4 MP
IR Rang 15-20mtr
Lens: 3.6mm
Built in audio Mic Work with TVI
format on Audio Support**

AS-2.4MP-AUD-CV-DM



AstraSight

2.4MP AHD CV AUDIO BULLET



TVI Colour Audio
Type: Plastic Bullet (StarLight)
Resolution: 2.4 MP
IR Rang 15-20mtr
Lens: 3.6mm
Built in audio Mic Work with TVI format
on Audio Support XVR/ Hikvision

AS-2.4MP-AUD-CV-BT

5MP AHD CV AUDIO DOME



TVI Colour Audio
Type: Dome (StarLight)
Resolution: 5mp MP
IR Rang 15-20mtr
Lens: 3.6mm
Built in audio Mic Work with TVI format
on Audio Support

AS-5MP-AUD-CV-DM

5MP AHD CV AUDIO BULLET



TVI Colour Audio
Type: Plastic Bullet (StarLight)
Resolution: 5MP
IR Rang 15-20mtr
Lens: 3.6mm Built in audio Mic
Work with TVI format on Audio Support

AS-5MP-AUD-CV-BT



INTRODUCING

DVR

SERIES



AstraSight

5MP DVR 4CH



TYPE: 4CH XVR
BIT RATE: 78Kbps-4Mbps
compression: H.265 standard Mode
Manual, Timer, Motion
Image Quality: 5 Level UP to
6TB support

AS-5MP-DVR-4CH



AstraSight

5MP DVR 8CH



TYPE: 8CH XVR
BIT RATE: 78Kbps-4Mbps
compression: H.265 standard
Standard Mode: Manual, Timer, Motion
Image Quality: 5 Level UP to 6TB support

AS-5MP-DVR-8CH



AstraSight

5MP DVR 16CH



Type: 16 CH DVR
Resolution 5mp
supported Compression: H.265
Image Quality: 5 Level Bite
Stream: 786 Kbps-4Mbps Mode
Manual, Timer, Motion Up to 6TB
Support

AS-5MP-DVR-16CH



INTRODUCING

IP

SERIES



AstraSight

4MP IP IR AUDIO DOME



Type Dome plastic
Resolution: 4MP
Lens: 3.6mm (6mm opt.)
IR range 15 M- 20mtr
With Audio and POE onvif supported

AS-4MP-IP-IR-DM

4MP IP IR AUDIO BULLET



Type: Metal Bullet
Resolution: 4MP
Lens: 3.6mm (6mm opt.)
IR range 15m-20m
With Poe onvif supported

AS-4MP-IP-IR-BT

4MP IP CV AUDIO DOME



Type: Plastic Dome (Star light)
Resolution: 4MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15m-20m

AS-4MP-IP-CV-DM



AstraSight

4MP IP CV AUDIO BULLET



Type: FULL Metal Bullet (Star light)
Resolution: 4MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15M -20m

AS-4MP-IP-CV-BT



AstraSight

4MP IP CV AUDIO BULLET



type: Bullet (Star light)
Resolution: 4MP BIG HOUSING 5ARRAY
Lens: (6mm opt.) onvif supported
IR range 30m Night

AS-4MP-IP-CV-5ARRAY-BT



AstraSight

4MP IP IR AUDIO DOME



Type Dome plastic
Resolution: 4MP
Lens: 3.6mm (6mm opt.)
IR range 15 M- 20mtr
With Audio and POE onvif supported

AS-5MP-IP-IR-DM

5MP IP IR AUDIO BULLET



Type: Metal Bullet
Resolution: 5MP
Lens: 3.6mm (6mm opt.)
IR range 15m-20m
With Poe onvif supported

AS-5MP-IP-IR-BT

5MP IP CV AUDIO DOME



Type: Front metal dome (Starlight)
Resolution: 5MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15m-20m

AS-5MP-IP-CV-DM

5MP IP CV AUDIO BULLET



Type: Full Metal Bullet (Star light)
Resolution: 5MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15M -20m Night

AS-5MP-IP-CV-BT



AstraSight

5MP IP CV AUDIO BULLET



Type: Bullet (Star light)
Resolution: 5MP BIG HOUSING 5ARRAY
Lens: (6mm opt.) onvif supported
IR range 30m Night

AS-5MP-IP-CV-5ARRAY-BT

5MP IP CV 2-WAY BULLET



**Type: Full Metal Bullet (Stalight)
(2-WAY Communication)
Resolution: 5MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15M -20m Night**

AS-5MP-IP-CV-2WAY-BT

5MP IP CV 2-WAY DOME



**Type: Plastic Dome (Starlight)
(2-WAY Communication)**
Resolution: 5MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15m-20m

AS-5MP-IP-CV-2WAY-DM

8MP IP CV AUDIO DOME



Type: Front metal dome (Star light)
Resolution: 8MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15m-20m

AS-8MP-IP-CV-DM

8MP IP CV AUDIO BULLET



Type: Full Metal Bullet (Star light)
Resolution: 8MP
Lens: 3.6mm (6mm opt.) onvif supported
IR range 15M -20m

AS-8MP-IP-CV-BT



AstraSight

8MP IP CV AUDIO BULLET



Type (BIGG HOUSING) (Star light)
Resolution: 8MP
Lens: (6mm opt.) onvif supported
IR range 30m

AS-8MP-IP-CV-5ARY-BT



AstraSight

5MP -5X- IP CV AUDIO BULLET



TYPE: FULL METAL
Resolution 5mp 5X Zoom
day/night ir cut filter
lens 2.7-13.5mm

AS-5MP-IP-5X-CV-VF-BT



AstraSight

5MP -36X-IP CV AUDIO PTZ



5MP IP PTZ 36X Zoom
2-WAY COMMUNICATION
RESOLUTION : 5MP
MOTION DETECTION
IR RANGE UPTO 150 MTR

AS-5MP-IP-CV-PTZ-36X-BT



INTRODUCING

NVR

SERIES



AstraSight

5MP NVR 10CH



**Type: 10CH NVR 1Sata Interface Upto 6TB
Resolution 4k**

Video Compression: H.265

Onvif Version: Support Onvif

**Playback Function : Play, Pause, Stop,
Rewind, Fast Play, Slow play Search**

**Mode: ALL, Channel, time, date,
motion detection.**

APP:UYC PRO

AS-5MP-NVR-10CH



AstraSight

5MP NVR 16CH



**Type: 16 CH NVR 1 SATA Interface Upto 6TB
Resolution 4k**

**Video Compression: H.265+ Onvif Version:
Support Onvif 2.4**

**Playback Function : Play, Pause, Stop,
Rewind, Fast Play, Slow play Search
Mode: ALL, Channel, time, date,
motion detection.**

APP:UYC PRO

AS-5MP-NVR-16CH



AstraSight

5MP NVR 32CH



Type: Powerful hisilicon 3536d platform
Support ip cameras up to 5mp
support automated addition of most 3rd part
ipc supporting preview,
storage & play back of maximum 4k hd
network video H. 265 Intelligent encoding
technology Support 2 Sata interfaces,
each up to 10tb
APP:UYC PRO

AS-5MP-NVR-32CH



INTRODUCING

2-WAY NVR

SERIES



AstraSight

5MP NVR 2-WAY 10CH



Type: 10CH NVR 2-way Communication
1 Sata Interface Upto 6TB I Resolution 4k
Video Compression: H.265 Onvif Version:
Support Onvif
Playback Function : Play, Pause, Stop,
Rewind, Fast Play, Slow play Search
Mode: ALL, Channel, time, date,
motion detection.
APPLICATION - SEE EASY

AS-5MP-NVR-2WAY-10CH



AstraSight

5MP NVR 2-WAY 16CH



Type: 16 CH NVR 2way Communication
1 Sata Interface Upto 6TB I Resolution 4k
Video Compression: H.265
Onvif Version: Support Onvif
Playback Function : Play, Pause, Stop,
Rewind, Fast Play, Slow play Search
Mode: ALL, Channel, time, date,
motion detection.
APPLICATION - SEE EASY

AS-5MP-NVR-2WAY-16CH



AstraSight

5MP NVR 2-WAY 32CH



**Type: 32ch. Powerful hisilicon 353
6d platform 2way Communication
2Sata Support ip cameras up to 5mp
support automated additionb of most
3rd part ipc supporting preview,
storage & play back of maximum 4k hd network
video H. 265 Intelligent encoding technology
Support 2 Sata interfaces, each up to 10tb
APPLICATION - SEE EASY**

AS-5MP-NVR-2WAY-32CH



INTRODUCING POE SWITCH SERIES



AstraSight

POE SWITCH 4CH



10/100 Mbps 4+2 PORT 250M Poe Switch
Support IEEE802.3af/at Support restrain network storm, VLANFunction ,
Built-in power supply.
Maximum power of single Poe port: 30w
Maximum Poe power: 250w
Adopts sotre- and forward architecture
Support lightning protechtion 6000v

AS-IMP-POE-4CH



AstraSight

POE SWITCH 8CH



10/100 Mbps 8+2 PORT 250M Poe Switch
Support IEEE802.3af/at
Support restrain network storm, VLAN
Function Built-in power supply.
Maximum power of single Poe port: 30w
Maximum Poe power: 250w
Adopts store- and forward architecture
Support lightning protection 6000v

AS-IMP-POE-8CH



AstraSight

POE SWITCH 2UPLINK GIGA 8CH



100/1000 Mbps 8+2 (2 Uplink giga) PORT
250M Poe Switch Support IEEE802.3af/at
Support restrain network storm, VLAN Function
Built-in power supply.
Maximum power of single Poe port: 30w
Maximum Poe power 250W
Adopts store- and forward architecture
Support lightning protection 6000v

AS-IMP-UL-POE-8CH



AstraSight

POE SWITCH FULL GIGA GIGA 8CH



100/1000 Mbps 8+2 (all port giga) PORT
250M Poe Switch Support IEEE802.3af/at
Support restrain network storm, VLAN Function
Built-in power supply.

Maximum power of single Poe port: 30w

Maximum Poe power: 250w

Adopts store- and forward architecture

Support lightning protection 6000v

AS-IMP-FG-POE-8CH



AstraSight

POE SWITCH 2UPLINK GIGA 16CH



**10/1000 Mbps 16+2 Uplink Giga) PORT
250M Poe Switch Support IEEE802.3af/at
Support restrain network storm, VLAN Function
Built-in power supply.
Maximum power of single Poe port: 30w
Maximum Poe power 250W
Adopts store- and forward architecture
Support lightning protection 6000v**

AS-IMP-UP-POE-16CH



AstraSight

POE SWITCH 2UPLINK GIGA 24CH



10/1000 Mbps 24+2 Uplink Giga) PORT
250M Poe Switch Support IEEE802.3af/at
Support restrain network storm, VLAN Function
Built-in power supply.

Maximum power of single Poe port:

30w Maximum Poe power:

250w; Adopts sotre- and forward architecture;

Support lightning protection 6000v

AS-IMP-UP-POE-24CH

INTRODUCING
WI-FI & 4G
SERIES



AstraSight

4G SOLAR 3MP PT



Type: 3MP 4G PT Camera
360 Degree view
Battery Backup 13HR Regular
On Stand By mode 7 Days Bettery
Backup multiuser multi platform
24Hours Uninterrupted Monitoring
APP: IP PRO

AS-4G-3MP-SOLAR



AstraSight

3MP WI-FI 10X ROBO



**10X Zoom and Wide Dual Camera
Supports 128GB SD, Cloud and Human
Tracking 3MP 1080P Full HD 360
Rotating, Nightvision and Two-way Audio
App:-care cam**

AS-10X -WIFI-3MP-ROBO



AstraSight

3MP WI-FI ROBO BM



Baby Monitoring 3mp SD card supported upto 68GB Camera (Robot Pan-Tilt Camera) human detection, push alarm information Intelligent motion tracking, App:- ip pro

AS-BM-WIFI-3MP-ROBO



AstraSight

3MP WI-FI LAMP



**2MP lamp wifi SD card Supported upto
68Human Motion Tracking,
NIGHT VISION, PAN-TILT,
Two-way Audio PAN-TILT,
Alarm NIGHT VISION App:- v380**

AS-WIFI-2MP-LAMP



AstraSight

2MP WI-FI DUAL ROBO



**Wifi robot 2MP SD card supported upto 68GB
1080p Dual Lens Wireless Camera with IR Night Vision, Motion Detection & \two-way audio communication smart technology. App:-care cam**

AS-DUAL-WIFI-2MP-ROBO



AstraSight

3MP WI-FI PT



**3MP Outdoor Auto-Tracking
SD card Supported upto 128GB
360° Visual Coverage Waterproof
Color Night Vision AI-Powered
Person Detection Two-Way Talk
wireless Security Camera APP:-V380**

AS-BL-WIFI-3MP-PT



AstraSight

3MP 4G DOME



TYPE 4G DOME

RESOLUTION :-3MP

Micro SD Card (max 128G) Video

Compression: h.265/h.264

Cloud Storage Support

Two Way Communication

App : ip pro

AS-4G-3MP-DM



AstraSight

3MP 4G BULLET



TYPE 4G BULLET

RESOLUTION :-3MP

IR Distance : 20-30 Mtr

Micro SD Card (max 128G) Video

Compression: h.265/h.264

Cloud Storage Support

Two Way Communication

App : ip pro

AS-4G-3MP-BT



AstraSight

3MP WI-FI PT



WIFI PT Camera
Resolution : 3MP
SD card Supported upto 128GB 2way
communication pantilt
camera App - ICSEE

AS-WIFI-3MP-PT



AstraSight

2MP WI-FI BULB



**Bulb Camera, 355 Degree Pan/Tilt
SD card Supported upto 68 GB
Panoramic IP Security Camera,
WiFi 1080P Smart Home Surveillance
Cam with Motion Detection Alarm
Night Vision Two Way Talk Indoor
App :- v380**

AS-WIFI-2MP-BULB



INTRODUCING ROUTER SERIES



AstraSight

ROUTER 3ANTINNA



Type: 4G (3 Antennas)

Max 10 users

Download: 300Mbps, upload:50Mbps

Wan/Lan Sim Ram 4G

Byte Emmc+ 512MByte DDR2

AS-5G-4-ROUTER

CONTACT US

 **+91-92897 71107**

 **astrasight_**

 **Astra Sight**

 **astrasight_k**

THANK YOU